CLAIMS

What is claimed:

- 1 A method of treating or preventing Th1 and/or Th2 mediated diseases in a subject, comprising administering an effective amount of chemokine receptor 5 (CCR5) antagonist to said subject, thereby treating said Th1 or Th2 mediated diseases in said subject, wherein said Th1 or Th2 mediated diseases manifest an elevated level of IFN-γ and/or IL-13.
- 2 The method of claim 1, wherein said Th1 mediated diseases is selected from the group consisting of chronic obstructive pulmonary disease (COPD), rheumatoid arthritis, and transplant rejection.
 - 3. The method of claim 2, wherein said Th1 mediated diseases is COPD.
 - 4. The method of claim 1, wherein said subject is a smoker with COPD.
- 5. The method of claim 4, wherein said CCR5 antagonist is selected from the group consisting of a chemical compound, an antibody, a ribozyme, a nucleic acid, and an antisense nucleic acid molecule.
 - 6. The method of claim 5, wherein said antibody specifically binds to CCR5.
- 7. The method of claim 5, wherein said antibody binds to a mammalian CCR5, wherein said antibody has the epitopic specificity of a monoclonal antibody.
 - 8. The method of claim 6, wherein the mammalian CCR5 is a human CCR5.
- 9. The method of claim 5, wherein said antibody inhibits binding of one or more chemokines selected from the group consisting of MIP-1 α , MIP-1 β , and RANTES to the receptor.
- 10. The method of claim 5, wherein said antibody inhibits one or more functions associated with binding of said one or more chemokines to the receptor.
 - 11. The method of claim 5, wherein the antibody is a monoclonal antibody.
 - 12. The method of claim 5, wherein the antibody is a chimeric antibody.
- 13. The method of claim 5, wherein the antibody or antigen binding fragment is a human antibody.
 - 14. The method of 5, wherein the antibody is a humanized antibody.
- 15. The method of claim 5, wherein said antisense nucleic acid molecule is an isolated nucleic acid complementary to an isolated nucleic acid encoding said CCR5, or a fragment thereof.

- 16. The method of claim 5, wherein said ribozyme is an isolated enzymatic nucleic acid, which specifically cleaves mRNA transcribed from a nucleic acid encoding said CCR5, or a fragment thereof.
- 17. The method of claim 3, wherein said COPD is selected from the group consisting of chronic bronchitis and emphysema.
- 18. A method of inhibiting apoptosis in a subject, comprising administering an effective amount of CCR5 antagonist to said subject.